



HAKRO Merlins Crailsheim **92 : 84** Veolia Towers Hamburg



Referee: REITER Moritz
Umpires: KATTUR Radeesh / STREIT Enrico
Commissioner: BENDER Ute

Attendance: 2386
Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

	CRA	Q1 22	Q2 31	Q3 27	Q4 12
	HAM	22	53	80	92
		17	16	60	84

FIRST QUARTER

Quarter Starters:

CRA	1 LEWIS J.	2 STEPHENS M.	3 STUCKEY M.	5 MAXHUNI E.	33 MIDTGAARD A.
HAM	5 PHILIPPS C.	7 MEISNER L.	8 WOODARD J.	10 McCULLUM K.	23 CHILDS Y.

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
10:00	33 MIDTGAARD A. Jump ball lost			23 CHILDS Y. Jump ball won
9:46				23 CHILDS Y. 2PtsFG inside paint, Lay-up missed, 8 WOODARD J. Offensive rebound
9:35				7 MEISNER L. 2PtsFG inside paint, Lay-up missed, 23 CHILDS Y. Offensive rebound
9:29		0 - 2	-2	23 CHILDS Y. 2PtsFG inside paint, Lay-up made
9:15	2 STEPHENS M. 2PtsFG inside paint, Lay-up made	2 - 2	0	
8:50	3 STUCKEY M. Personal foul, 2 free throws awarded (P1,T1)			
8:50				8 WOODARD J. Foul drawn
8:50		2 - 3	-1	8 WOODARD J. Free Throw made 1 of 2
8:50		2 - 4	-2	8 WOODARD J. Free Throw made 2 of 2
8:39				10 McCULLUM K. Personal foul (P1,T1)
8:39	5 MAXHUNI E. Foul drawn			
8:31	5 MAXHUNI E. Turnover, Bad pass			
8:16	3 STUCKEY M. Defensive rebound			7 MEISNER L. 2PtsFG inside paint, Lay-up missed
8:09				23 CHILDS Y. Personal foul (P1,T2)
8:09	3 STUCKEY M. Foul drawn			
8:00	33 MIDTGAARD A. 2PtsFG inside paint, Lay-up missed			23 CHILDS Y. Defensive rebound
7:38	2 STEPHENS M. Defensive rebound			8 WOODARD J. 3PtsFG missed
7:22	2 STEPHENS M. 2PtsFG inside paint, Dunk made, 1 LEWIS J. Assist	4 - 4	0	
7:22				5 PHILIPPS C. Personal foul, 1 free throw awarded (P1,T3)
7:22	2 STEPHENS M. Foul drawn			
7:22				5 PHILIPPS C. Substitute out, 13 CLARK II M. Substitute in
7:21	2 STEPHENS M. Free Throw missed 1 of 1			23 CHILDS Y. Defensive rebound
7:11	33 MIDTGAARD A. Defensive rebound			10 McCULLUM K. 2PtsFG inside paint, Lay-up missed
7:04	33 MIDTGAARD A. 2PtsFG inside paint, Dunk made, 5 MAXHUNI E. Assist	6 - 4	+2	
6:52	33 MIDTGAARD A. Defensive rebound			7 MEISNER L. 3PtsFG missed
6:36	3 STUCKEY M. 3PtsFG missed			7 MEISNER L. Defensive rebound
6:28	1 LEWIS J. Defensive rebound			10 McCULLUM K. 2PtsFG inside paint, Lay-up missed
6:20	1 LEWIS J. 2PtsFG inside paint, Lay-up missed			23 CHILDS Y. Defensive rebound
6:14	5 MAXHUNI E. Personal foul, 2 free throws awarded (P1,T2)			
6:14				7 MEISNER L. Foul drawn
6:14	2 STEPHENS M. Substitute out, 0 MIKALauskas A. Substitute in			
6:14	3 STUCKEY M. Substitute out, 7 LIVINGSTON II O. Substitute in			
6:14				10 McCULLUM K. Substitute out, 9 SAMAR Z. Substitute in
6:14				23 CHILDS Y. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
6:14	5 MAXHUNI E. Substitute out, 3 STUCKEY M. Substitute in			
6:14				7 MEISNER L. Free Throw missed 1 of 2
6:14		6 - 5	+1	7 MEISNER L. Free Throw made 2 of 2
6:01	1 LEWIS J. 3PtsFG made, 0 MIKALauskas A. Assist	9 - 5	+4	
5:47		9 - 7	+2	7 MEISNER L. 2PtsFG inside paint, Lay-up made
5:32	33 MIDTGAARD A. 2PtsFG inside paint, Jump shot missed			18 WOHLFARTH-BOTTERMANN J. Defensive rebound
5:15		9 - 10	-1	13 CLARK II M. 3PtsFG made, 9 SAMAR Z. Assist
5:02	3 STUCKEY M. Offensive foul (P2,T3)			
5:02				18 WOHLFARTH-BOTTERMANN J. Foul drawn
5:02	3 STUCKEY M. Substitute out, 9 BLECK F. Substitute in			
5:02	33 MIDTGAARD A. Substitute out, 15 RADOSAVLJEVIC B. Substitute in			
4:46				8 WOODARD J. 3PtsFG missed
4:44	Defensive Team rebound			
4:44				7 MEISNER L. Substitute out, 12 HINRICHSS S. Substitute in
4:27				12 HINRICHSS S. Personal foul (P1,T4)
4:27	1 LEWIS J. Foul drawn			
4:23	7 LIVINGSTON II O. 2PtsFG outside paint, Jump shot missed			12 HINRICHSS S. Defensive rebound



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf easyCredit-BBL.de! Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf MagentaSport.de



HAKRO Merlins Crailsheim **92 : 84** Veolia Towers Hamburg



Referee: REITER Moritz

Umpires: KATTUR Radeesh / STREIT Enrico

Commissioner: BENDER Ute

Attendance: 2386

Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
4:07	9 BLECK F. Steal			3 WOHLFARTH-BOTTERMANN J. Turnover, Ball handling
4:06				9 SAMAR Z. Personal foul, 2 free throws awarded (P1,T5)
4:06	MIKALauskas A. Foul drawn			8 WOODARD J. Substitute out, 0 SCHOORMANN L. Substitute in
4:06	MIKALauskas A. Free Throw made 1 of 2	10 - 10	0	
4:06	MIKALauskas A. Free Throw made 2 of 2	11 - 10	+1	
3:47	1 LEWIS J. Steal			9 SAMAR Z. Turnover, Ball handling
3:32	1 LEWIS J. 3PtsFG made, 9 BLECK F. Assist	14 - 10	+4	
3:21	15 RADOSAVLJEVIC B. Personal foul, 2 free throws awarded (P1,T4)			
3:21		14 - 11	+3	9 SAMAR Z. Free Throw made 1 of 2
3:21		14 - 12	+2	9 SAMAR Z. Free Throw made 2 of 2
3:04	1 LEWIS J. 2PtsFG inside paint, Lay-up missed, 15 RADOSAVLJEVIC B. Offensive rebound			
2:57	15 RADOSAVLJEVIC B. 2PtsFG inside paint, Tip-in missed			18 WOHLFARTH-BOTTERMANN J. Defensive rebound
2:56				9 SAMAR Z. Turnover, Bad pass
2:56	1 LEWIS J. Substitute out, 2 STEPHENS M. Substitute in			
2:49				13 CLARK II M. Personal foul, 2 free throws awarded (P1,T6)
2:49	MIKALauskas A. Foul drawn			
2:49	MIKALauskas A. Free Throw made 1 of 2	15 - 12	+3	
2:49	MIKALauskas A. Free Throw made 2 of 2	16 - 12	+4	
2:33	0 MIKALauskas A. Defensive rebound			9 SAMAR Z. 2PtsFG outside paint, Jump shot missed
2:23	7 LIVINGSTON II O. 3PtsFG missed			18 WOHLFARTH-BOTTERMANN J. Defensive rebound
2:12				12 HINRICH S. Turnover, Ball handling
1:55	15 RADOSAVLJEVIC B. 2PtsFG inside paint, Lay-up made, 0 MIKALauskas A. Assist	18 - 12	+6	
1:48				9 SAMAR Z. Turnover, Ball handling
1:36	7 LIVINGSTON II O. Turnover, Bad pass			12 HINRICH S. Steal
1:27		18 - 15	+3	13 CLARK II M. 3PtsFG made, 12 HINRICH S. Assist
1:00	2 STEPHENS M. Turnover, Ball handling			12 HINRICH S. Steal
0:41	0 MIKALauskas A. Defensive rebound			SCHOORMANN L. 3PtsFG missed
0:37				SCHOORMANN L. Personal foul, 2 free throws awarded (P1,T7)
0:37	9 BLECK F. Foul drawn			
0:37	2 STEPHENS M. Substitute out, 1 LEWIS J. Substitute in			
0:37	15 RADOSAVLJEVIC B. Substitute out, 33 MIDTGAARD A. Substitute in			
0:37				18 WOHLFARTH-BOTTERMANN J. Substitute out, 23 CHILDS Y. Substitute in
0:37	9 BLECK F. Free Throw made 1 of 2	19 - 15	+4	
0:37	9 BLECK F. Free Throw made 2 of 2	20 - 15	+5	
0:27		20 - 17	+3	9 SAMAR Z. 2PtsFG inside paint, Lay-up made
0:05	7 LIVINGSTON II O. 2PtsFG inside paint, Lay-up made	22 - 17	+5	

SECOND QUARTER

Quarter Starters:

CRA	0 MIKALauskas A.	1 LEWIS J.	7 LIVINGSTON II O.	9 BLECK F.	33 MIDTGAARD A.
HAM	0 SCHOORMANN L.	8 WOODARD J.	10 McCULLUM K.	12 HINRICH S.	23 CHILDS Y.

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
10:00	Alternating Possession Gained			
9:49	33 MIDTGAARD A. 2PtsFG inside paint, Lay-up made, 0 MIKALauskas A. Assist	24 - 17	+7	
9:25	1 LEWIS J. Defensive rebound			23 CHILDS Y. 2PtsFG inside paint, Lay-up missed
9:19				8 WOODARD J. Personal foul (P1,T1)
9:19	1 LEWIS J. Foul drawn			
9:10	1 LEWIS J. 2PtsFG inside paint, Lay-up made	26 - 17	+9	
8:53	33 MIDTGAARD A. Defensive rebound			10 McCULLUM K. 2PtsFG inside paint, Lay-up missed
8:45	1 LEWIS J. 2PtsFG inside paint, Lay-up made	28 - 17	+11	
8:45				KORNER R. Timeout
8:45				SCHOORMANN L. Substitute out, 5 PHILIPPS C. Substitute in
8:29	1 LEWIS J. Personal foul (P1,T1)			
8:29				8 WOODARD J. Foul drawn



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf easyCredit-BBL.de! Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf MagentaSport.de



HAKRO Merlins Crailsheim **92 : 84** **Veolia Towers Hamburg**



Referee: REITER Moritz

Umpires: KATTUR Radeesh / STREIT Enrico

Commissioner: BENDER Ute

Attendance: 2386

Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
8:27	33 MIDTGAARD A. Defensive rebound			3 WOODARD J. 3PtsFG missed
8:04	MIKALauskas A. Turnover, Bad pass			5 PHILIPPS C. Steal
7:47	9 BLECK F. Steal			5 PHILIPPS C. Turnover, Ball handling
7:43	9 BLECK F. 2PtsFG fast break, Lay-up made	30 - 17	+13	
7:30	MIKALauskas A. Personal foul (P1,T2)			
7:30				8 WOODARD J. Foul drawn
7:30	MIKALauskas A. Substitute out, 2 STEPHENS M. Substitute in			
7:30	7 LIVINGSTON II O. Substitute out, 5 MAXHUNI E. Substitute in			
7:28	2 STEPHENS M. Personal foul (P1,T3)			
7:28				10 McCULLUM K. Foul drawn
7:18		30 - 20	+10	8 WOODARD J. 3PtsFG made
6:55	33 MIDTGAARD A. 2PtsFG inside paint, Lay-up made	32 - 20	+12	10 McCULLUM K. 2PtsFG inside paint, Lay-up blocked
6:43	2 STEPHENS M. Blocked shot			Offensive Team rebound
6:43				12 HINRICHSS S. Substitute out, 7 MEISNER L. Substitute in
6:28		32 - 22	+10	23 CHILDSY. 2PtsFG inside paint, Lay-up made
6:17				8 WOODARD J. Personal foul (P2,T2)
6:17	2 STEPHENS M. Foul drawn			
6:07	5 MAXHUNI E. 2PtsFG inside paint, Lay-up made	34 - 22	+12	
5:53	5 MAXHUNI E. Personal foul, 2 free throws awarded (P2,T4)			
5:53				23 CHILDSY. Foul drawn
5:53	5 MAXHUNI E. Substitute out, 7 LIVINGSTON II O. Substitute in			
5:53				8 WOODARD J. Substitute out, 9 SAMAR Z. Substitute in
5:53		34 - 23	+11	23 CHILDSY. Free Throw made 1 of 2
5:53		34 - 24	+10	23 CHILDSY. Free Throw made 2 of 2
5:53	9 BLECK F. Substitute out, 0 MIKALauskas A. Substitute in			
5:41	33 MIDTGAARD A. 2PtsFG inside paint, Dunk made, 0 MIKALauskas A. Assist	36 - 24	+12	
5:20	33 MIDTGAARD A. Defensive rebound			9 SAMAR Z. 3PtsFG missed
5:01	7 LIVINGSTON II O. 3PtsFG missed			7 MEISNER L. Defensive rebound
4:50	1 LEWIS J. Defensive rebound			9 SAMAR Z. 2PtsFG inside paint, Jump shot missed
4:45	MIKALauskas A. 2PtsFG fast break, Lay-up made	38 - 24	+14	
4:45				KORNER R. Timeout
4:45				5 PHILIPPS C. Substitute out, 13 CLARK II M. Substitute in
4:30	33 MIDTGAARD A. Defensive rebound			10 McCULLUM K. 2PtsFG inside paint, Jump shot missed
4:21	33 MIDTGAARD A. Offensive foul (P1,T5)			
4:21				7 MEISNER L. Foul drawn
4:21	33 MIDTGAARD A. Substitute out, 15 RADOSAVLJEVIC B. Substitute in			
4:03				7 MEISNER L. Turnover, Ball handling
3:45	2 STEPHENS M. Turnover, Ball handling			10 McCULLUM K. Steal
3:38	1 LEWIS J. Steal			10 McCULLUM K. Turnover, Ball handling
3:34	2 STEPHENS M. 2PtsFG fast break, Lay-up made	40 - 24	+16	
3:20				9 SAMAR Z. Turnover, Bad pass
3:19				10 McCULLUM K. Substitute out, 8 WOODARD J. Substitute in
3:19				23 CHILDSY. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
3:03				13 CLARK II M. Personal foul, 2 free throws awarded (P2,T3)
3:03	MIKALauskas A. Foul drawn			
3:03	2 STEPHENS M. Substitute out, 9 BLECK F. Substitute in			
3:03	MIKALauskas A. Free Throw made 1 of 2	41 - 24	+17	
3:03	MIKALauskas A. Free Throw made 2 of 2	42 - 24	+18	
2:44	15 RADOSAVLJEVIC B. Defensive rebound			13 CLARK II M. 3PtsFG missed
2:26	1 LEWIS J. 2PtsFG inside paint, Lay-up missed			7 MEISNER L. Defensive rebound
2:16				7 MEISNER L. 2PtsFG inside paint, Lay-up missed, 18 WOHLFARTH-BOTTERMANN J. Offensive rebound
2:15		42 - 26	+16	18 WOHLFARTH-BOTTERMANN J. 2PtsFG inside paint, Lay-up made
2:15	GLEIM S. Timeout			
1:56	MIKALauskas A. 3PtsFG made, 9 BLECK F. Assist	45 - 26	+19	
1:34				8 WOODARD J. 3PtsFG made, 18 WOHLFARTH-BOTTERMANN J. Assist
1:26		45 - 29	+16	
1:26	13 CLARK II M. Personal foul (P3,T4)			
1:26	7 LIVINGSTON II O. Foul drawn			
1:26				13 CLARK II M. Substitute out, 12 HINRICHSS S. Substitute in



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf [easyCredit-BBL.de!](https://www.easyCredit-BBL.de) Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf [MagentaSport.de](https://www.MagentaSport.de)



HAKRO Merlins Crailsheim **92 : 84** Veolia Towers Hamburg



Referee: REITER Moritz

Umpires: KATTUR Radeesh / STREIT Enrico

Commissioner: BENDER Ute

Attendance: 2386

Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
1:23	3 LEWIS J. 3PtsFG made, 7 LIVINGSTON II O. Assist	48 - 29	+19	
1:06	9 BLECK F. Personal foul, 2 free throws awarded (P1,T6)			
1:06				18 WOHLFARTH-BOTTERMANN J. Foul drawn
1:06		48 - 30	+18	18 WOHLFARTH-BOTTERMANN J. Free Throw made 1 of 2
1:06				18 WOHLFARTH-BOTTERMANN J. Free Throw missed 2 of 2
1:06				Offensive Team rebound
1:06	15 RADOSAVLJEVIC B. Personal foul, 2 free throws awarded (P2,T7)			
1:06				7 MEISNER L. Foul drawn
1:06	15 RADOSAVLJEVIC B. Substitute out, 33 MIDTGAARD A. Substitute in			
1:06				7 MEISNER L. Free Throw missed 1 of 2
1:06				7 MEISNER L. Free Throw missed 2 of 2, 7 MEISNER L. Offensive rebound
0:53				18 WOHLFARTH-BOTTERMANN J. 2PtsFG inside paint, Lay-up missed, 18 WOHLFARTH-BOTTERMANN J. Offensive rebound
0:53	33 MIDTGAARD A. Personal foul, 2 free throws awarded (P2,T8)			
0:53				18 WOHLFARTH-BOTTERMANN J. Foul drawn
0:53				18 WOHLFARTH-BOTTERMANN J. Free Throw missed 1 of 2
0:53	1 LEWIS J. Defensive rebound			18 WOHLFARTH-BOTTERMANN J. Free Throw missed 2 of 2
0:32	33 MIDTGAARD A. 2PtsFG inside paint, Dunk made, 7 LIVINGSTON II O. Assist	50 - 30	+20	
0:17		50 - 33	+17	9 SAMAR Z. 3PtsFG made
0:01	7 LIVINGSTON II O. 3PtsFG made	53 - 33	+20	

THIRD QUARTER

Quarter Starters:

CRA	0 MIKALauskas A.	1 LEWIS J.	2 STEPHENS M.	5 MAXHUNI E.	33 MIDTGAARD A.
HAM	0 SCHORMANN L.	5 PHILIPPS C.	7 MEISNER L.	10 McCULLUM K.	23 CHILDS Y.

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
10:00				Alternating Possession Gained
9:44	1 LEWIS J. Defensive rebound			7 MEISNER L. 3PtsFG missed
9:33	2 STEPHENS M. 2PtsFG inside paint, Lay-up made, 1 LEWIS J. Assist	55 - 33	+22	
9:13	33 MIDTGAARD A. Defensive rebound			5 PHILIPPS C. 3PtsFG missed
8:52	2 STEPHENS M. 2PtsFG inside paint, Jump shot missed			10 McCULLUM K. Defensive rebound
8:40	MIKALauskas A. Personal foul (P2,T1)			10 McCULLUM K. Foul drawn
8:40				7 MEISNER L. Turnover, Travelling
8:22	33 MIDTGAARD A. 2PtsFG inside paint, Lay-up made	57 - 33	+24	
8:08	33 MIDTGAARD A. Defensive rebound			23 CHILDS Y. 2PtsFG inside paint, Lay-up missed
8:01	2 STEPHENS M. 2PtsFG inside paint, Lay-up made	59 - 33	+26	
8:01				10 McCULLUM K. Personal foul, 1 free throw awarded (P2,T1)
8:01	2 STEPHENS M. Foul drawn			
8:00	2 STEPHENS M. Free Throw missed 1 of 1			23 CHILDS Y. Defensive rebound
7:53	Technical foul bench			
7:53		59 - 34	+25	10 McCULLUM K. Free Throw made 1 of 1
7:44		59 - 36	+23	23 CHILDS Y. 2PtsFG inside paint, Lay-up made, 10 McCULLUM K. Assist
7:35				10 McCULLUM K. Personal foul, 2 free throws awarded (P3,T2)
7:35	5 MAXHUNI E. Foul drawn			
7:35	5 MAXHUNI E. Free Throw made 1 of 2	60 - 36	+24	
7:35	5 MAXHUNI E. Free Throw made 2 of 2	61 - 36	+25	
7:12	2 STEPHENS M. Personal foul, 2 free throws awarded (P2,T2)			
7:12				10 McCULLUM K. Foul drawn
7:12		61 - 37	+24	10 McCULLUM K. Free Throw made 1 of 2
7:12		61 - 38	+23	10 McCULLUM K. Free Throw made 2 of 2
7:02	MIKALauskas A. Foul drawn			SCHORMANN L. Personal foul (P2,T3)
6:50	MIKALauskas A. 3PtsFG made, 5 MAXHUNI E. Assist	64 - 38	+26	
6:28	1 LEWIS J. Defensive rebound			7 MEISNER L. 3PtsFG missed
6:18				5 PHILIPPS C. Personal foul (P2,T4)
6:18	1 LEWIS J. Foul drawn			



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf easyCredit-BBL.de! Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf MagentaSport.de



HAKRO Merlins Crailsheim 92 : 84 Veolia Towers Hamburg



Referee: REITER Moritz

Umpires: KATTUR Radeesh / STREIT Enrico

Commissioner: BENDER Ute

Attendance: 2386

Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
6:18	3 STEPHENS M. Substitute out, 3 STUCKEY M. Substitute in			
6:18				SCHOORMANN L. Substitute out, 8 WOODARD J. Substitute in
6:13				10 McCULLUM K. Personal foul, 2 free throws awarded (P4,T5)
6:13	1 LEWIS J. Foul drawn			
6:13				10 McCULLUM K. Substitute out, 9 SAMAR Z. Substitute in
6:13				23 CHILDS Y. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
6:13	1 LEWIS J. Free Throw missed 1 of 2			
6:13	1 LEWIS J. Free Throw made 2 of 2	65 - 38	+27	
5:58				8 WOODARD J. Turnover, Bad pass
5:42	MIKALASKAS A. Turnover, Out of bounds			
5:33		65 - 40	+25	18 WOHLFARTH-BOTTERMANN J. 2PtsFG inside paint, Lay-up made
5:22				9 SAMAR Z. Personal foul, 2 free throws awarded (P2,T6)
5:22	MIKALASKAS A. Foul drawn			
5:22	MIKALASKAS A. Free Throw made 1 of 2	66 - 40	+26	
5:22	MIKALASKAS A. Free Throw made 2 of 2	67 - 40	+27	
5:22	MIKALASKAS A. Substitute out, 7 LIVINGSTON II O. Substitute in			
5:03		67 - 42	+25	7 MEISNER L. 2PtsFG inside paint, Lay-up made
4:54	7 LIVINGSTON II O. 3PtsFG missed			
4:53				Defensive Team rebound
4:53	33 MIDTGAARD A. Unsportsmanlike foul, 2 free throws awarded (P3,T3)			
4:53				18 WOHLFARTH-BOTTERMANN J. Foul drawn
4:53	1 LEWIS J. Substitute out, 9 BLECK F. Substitute in			
4:53	33 MIDTGAARD A. Substitute out, 15 RADOSAVLJEVIC B. Substitute in			
4:53		67 - 43	+24	18 WOHLFARTH-BOTTERMANN J. Free Throw made 1 of 2
4:53				18 WOHLFARTH-BOTTERMANN J. Free Throw missed 2 of 2
4:47	3 STUCKEY M. Steal			7 MEISNER L. Turnover, Bad pass
4:40	3 STUCKEY M. 2PtsFG fast break, Lay-up missed			18 WOHLFARTH-BOTTERMANN J. Defensive rebound
4:32		67 - 46	+21	8 WOODARD J. 3PtsFG made, 9 SAMAR Z. Assist
4:32	GLEIM S. Timeout			
4:32	5 MAXHUNI E. Substitute out, 0 MIKALASKAS A. Substitute in			
4:32				5 PHILIPPS C. Substitute out, 12 HINRICHSS. Substitute in
4:09	MIKALASKAS A. 2PtsFG inside paint, Lay-up made	69 - 46	+23	
3:51		69 - 49	+20	8 WOODARD J. 3PtsFG made, 12 HINRICHSS. Assist
3:32	15 RADOSAVLJEVIC B. Offensive foul (P3,T4)			
3:32				9 SAMAR Z. Foul drawn
3:20		69 - 52	+17	7 MEISNER L. 3PtsFG made, 9 SAMAR Z. Assist
3:10				18 WOHLFARTH-BOTTERMANN J. Personal foul, 2 free throws awarded (P1,T7)
3:10	15 RADOSAVLJEVIC B. Foul drawn			
3:10	15 RADOSAVLJEVIC B. Free Throw made 1 of 2	70 - 52	+18	
3:10	15 RADOSAVLJEVIC B. Free Throw missed 2 of 2			
3:10				Defensive Team rebound
3:03	7 LIVINGSTON II O. Personal foul, 2 free throws awarded (P1,T5)			
3:03				9 SAMAR Z. Foul drawn
3:03	7 LIVINGSTON II O. Substitute out, 5 MAXHUNI E. Substitute in			
3:03		70 - 53	+17	9 SAMAR Z. Free Throw made 1 of 2
3:03		70 - 54	+16	9 SAMAR Z. Free Throw made 2 of 2
2:45	5 MAXHUNI E. 3PtsFG missed			18 WOHLFARTH-BOTTERMANN J. Defensive rebound
2:34		70 - 56	+14	12 HINRICHSS. 2PtsFG inside paint, Lay-up made
2:19	15 RADOSAVLJEVIC B. 3PtsFG made, 0 MIKALASKAS A. Assist	73 - 56	+17	
2:06	3 STUCKEY M. Steal			9 SAMAR Z. Turnover, Bad pass
2:01	5 MAXHUNI E. 2PtsFG inside paint, Lay-up made	75 - 56	+19	
2:01				18 WOHLFARTH-BOTTERMANN J. Personal foul, 1 free throw awarded (P2,T8)
2:01	5 MAXHUNI E. Foul drawn			
2:01				KORNER R. Timeout
2:01	3 STUCKEY M. Substitute out, 1 LEWIS J. Substitute in			
2:01	9 BLECK F. Substitute out, 2 STEPHENS M. Substitute in			
2:01				7 MEISNER L. Substitute out, 13 CLARK II M. Substitute in
1:58	5 MAXHUNI E. Free Throw missed 1 of 1			18 WOHLFARTH-BOTTERMANN J. Defensive rebound
1:51				13 CLARK II M. Offensive foul (P4,T9)



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf easyCredit-BBL.de! Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf MagentaSport.de



HAKRO Merlins Crailsheim **92 : 84** **Veolia Towers Hamburg**



Referee: REITER Moritz

Umpires: KATTUR Radeesh / STREIT Enrico

Commissioner: BENDER Ute

Attendance: 2386

Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
1:51	3 MIKALASKAS A. Foul drawn			
1:40	1 LEWIS J. 3PtsFG missed			12 HINRICH S. Defensive rebound
1:32				13 CLARK II M. 3PtsFG missed, 13 CLARK II M. Offensive rebound
1:24				9 SAMAR Z. 3PtsFG missed
1:21	Defensive Team rebound			
1:03	5 MAXHUNI E. 3PtsFG made, 0 MIKALASKAS A. Assist	78 - 56	+22	
0:40	0 MIKALASKAS A. Steal			9 SAMAR Z. Turnover, Bad pass
0:32	MIKALASKAS A. 2PtsFG fast break, Lay-up made	80 - 56	+24	
0:10	2 STEPHENS M. Personal foul, 2 free throws awarded (P3,T6)			
0:10				9 SAMAR Z. Foul drawn
0:10	MIKALASKAS A. Substitute out, 3 STUCKEY M. Substitute in			
0:10	2 STEPHENS M. Substitute out, 13 VRCIC B. Substitute in			
0:10				13 CLARK II M. Substitute out, 5 PHILIPPS C. Substitute in
0:10		80 - 57	+23	9 SAMAR Z. Free Throw made 1 of 2
0:10				9 SAMAR Z. Free Throw missed 2 of 2, 12 HINRICH S. Offensive rebound
0:04	3 STUCKEY M. Steal			12 HINRICH S. Turnover, Bad pass
0:01	5 MAXHUNI E. Turnover, Travelling			
0:00		80 - 60	+20	8 WOODARD J. 3PtsFG made, 12 HINRICH S. Assist

FOURTH QUARTER

Quarter Starters:

CRA	1 LEWIS J.	3 STUCKEY M.	5 MAXHUNI E.	13 VRCIC B.	15 RADOSAVLJEVIC B.
HAM	5 PHILIPPS C.	8 WOODARD J.	10 McCULLUM K.	12 HINRICH S.	18 WOHLFARTH-BOTTERMANN J.

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
10:00	Alternating Possession Gained			
9:46	5 MAXHUNI E. Turnover, Bad pass			
9:33		80 - 62	+18	12 HINRICH S. 2PtsFG inside paint, Lay-up made, 8 WOODARD J. Assist
9:09	13 VRCIC B. 3PtsFG missed			5 PHILIPPS C. Defensive rebound
9:00		80 - 65	+15	8 WOODARD J. 3PtsFG made, 10 McCULLUM K. Assist
8:36	5 MAXHUNI E. 3PtsFG missed, 15 RADOSAVLJEVIC B. Offensive rebound			
8:23	15 RADOSAVLJEVIC B. 3PtsFG missed			8 WOODARD J. Defensive rebound
8:06				12 HINRICH S. 2PtsFG inside paint, Jump shot missed
8:06	Defensive Team rebound			
8:06				18 WOHLFARTH-BOTTERMANN J. Personal foul (P3,T1)
8:06	3 STUCKEY M. Foul drawn			
8:06	13 VRCIC B. Substitute out, 0 MIKALASKAS A. Substitute in			
8:06	15 RADOSAVLJEVIC B. Substitute out, 33 MIDTGAARD A. Substitute in			
8:06				18 WOHLFARTH-BOTTERMANN J. Substitute out, 23 CHILDS Y. Substitute in
7:58				12 HINRICH S. Personal foul (P2,T2)
7:58	1 LEWIS J. Foul drawn			
7:47	MIKALASKAS A. 2PtsFG inside paint, Lay-up missed, 33 MIDTGAARD A. Offensive rebound			
7:42	1 LEWIS J. 3PtsFG missed			8 WOODARD J. Defensive rebound
7:34				5 PHILIPPS C. Turnover, Ball handling
7:34	5 MAXHUNI E. Substitute out, 7 LIVINGSTON II O. Substitute in			
7:16	1 LEWIS J. 2PtsFG inside paint, Lay-up made	82 - 65	+17	
6:54	0 MIKALASKAS A. Steal			10 McCULLUM K. Turnover, Bad pass
6:33	33 MIDTGAARD A. 2PtsFG inside paint, Lay-up made	84 - 65	+19	
6:21	3 STUCKEY M. Personal foul (P3,T1)			
6:21				8 WOODARD J. Foul drawn
6:21				5 PHILIPPS C. Substitute out, 7 MEISNER L. Substitute in
6:08		84 - 67	+17	10 McCULLUM K. 2PtsFG inside paint, Lay-up made
6:08	33 MIDTGAARD A. Personal foul, 1 free throw awarded (P4,T2)			
6:08				10 McCULLUM K. Foul drawn
6:08		84 - 68	+16	10 McCULLUM K. Free Throw made 1 of 1
6:08	33 MIDTGAARD A. Substitute out, 9 BLECK F. Substitute in			



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf easyCredit-BBL.de! Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf MagentaSport.de



HAKRO Merlins Crailsheim **92 : 84** Veolia Towers Hamburg



Referee: REITER Moritz

Umpires: KATTUR Radeesh / STREIT Enrico

Commissioner: BENDER Ute

Attendance: 2386

Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
5:50	3 LIVINGSTON II O. 2PntsFG inside paint, Lay-up missed			7 MEISNER L. Defensive rebound
5:39	7 LIVINGSTON II O. Defensive rebound			8 WOODARD J. 3PntsFG missed
5:22				23 CHILDSY. Personal foul (P2,T3)
5:22	7 LIVINGSTON II O. Foul drawn			
5:10	1 LEWIS J. 2PntsFG inside paint, Lay-up blocked			23 CHILDSY. Blocked shot, 8 WOODARD J. Defensive rebound
4:58		84 - 71	+13	7 MEISNER L. 3PntsFG made, 12 HINRICH S. Assist
4:44				8 WOODARD J. Substitute out, 9 SAMAR Z. Substitute in
4:41				12 HINRICH S. Personal foul (P3,T4)
4:41	MIKALauskas A. Foul drawn			
4:29	MIKALauskas A. 2PntsFG inside paint, Jump shot missed			12 HINRICH S. Defensive rebound
4:20	3 STUCKEY M. Substitute out, 2 STEPHENS M. Substitute in			
4:20	7 LIVINGSTON II O. Substitute out, 5 MAXHUNI E. Substitute in			
4:10	5 MAXHUNI E. Steal			10 McCULLUM K. Turnover, Bad pass
4:00	MIKALauskas A. 3PntsFG missed			23 CHILDSY. Defensive rebound
3:51	0 MIKALauskas A. Defensive rebound			9 SAMAR Z. 3PntsFG missed
3:36				23 CHILDSY. Personal foul, 2 free throws awarded (P3,T5)
3:36	MIKALauskas A. Foul drawn			
3:36	MIKALauskas A. Free Throw missed 1 of 2			
3:36	MIKALauskas A. Free Throw missed 2 of 2			12 HINRICH S. Defensive rebound
3:21	1 LEWIS J. Personal foul (P2,T3)			
3:21				12 HINRICH S. Foul drawn
3:21	MIKALauskas A. Substitute out, 3 STUCKEY M. Substitute in			
3:21				10 McCULLUM K. Substitute out, 8 WOODARD J. Substitute in
3:17				7 MEISNER L. 3PntsFG missed, 23 CHILDSY. Offensive rebound
3:13				7 MEISNER L. 2PntsFG inside paint, Lay-up missed, 7 MEISNER L. Offensive rebound
3:12		84 - 73	+11	7 MEISNER L. 2PntsFG inside paint, Lay-up made
3:12	GLEIM S. Timeout			
3:12	3 STUCKEY M. Substitute out, 33 MIDTGAARD A. Substitute in			
3:02	5 MAXHUNI E. 2PntsFG fast break, Lay-up missed			9 SAMAR Z. Defensive rebound
2:53	1 LEWIS J. Defensive rebound			7 MEISNER L. 3PntsFG missed
2:33	1 LEWIS J. 2PntsFG inside paint, Lay-up made	86 - 73	+13	
2:15	9 BLECK F. Personal foul, 3 free throws awarded (P2,T4)			
2:15				7 MEISNER L. Foul drawn
2:15	2 STEPHENS M. Substitute out, 3 STUCKEY M. Substitute in			
2:15				23 CHILDSY. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
2:15				7 MEISNER L. Free Throw missed 1 of 3
2:15		86 - 74	+12	7 MEISNER L. Free Throw made 2 of 3
2:15		86 - 75	+11	7 MEISNER L. Free Throw made 3 of 3
2:00				9 SAMAR Z. Personal foul, 2 free throws awarded (P3,T6)
2:00	5 MAXHUNI E. Foul drawn			
2:00				9 SAMAR Z. Substitute out, 10 McCULLUM K. Substitute in
2:00	5 MAXHUNI E. Free Throw made 1 of 2	87 - 75	+12	
2:00	5 MAXHUNI E. Free Throw made 2 of 2	88 - 75	+13	
1:46		88 - 77	+11	7 MEISNER L. 2PntsFG inside paint, Lay-up made
1:31	5 MAXHUNI E. 3PntsFG missed			8 WOODARD J. Defensive rebound
1:27	3 STUCKEY M. Blocked shot			8 WOODARD J. 2PntsFG inside paint, Lay-up blocked
1:27				Offensive Team rebound
1:14		88 - 79	+9	18 WOHLFARTH-BOTTERMANN J. 2PntsFG inside paint, Lay-up made, 7 MEISNER L. Assist
0:57	5 MAXHUNI E. Turnover, Out of bounds			
0:57				KORNER R. Timeout
0:57	5 MAXHUNI E. Substitute out, 2 STEPHENS M. Substitute in			
0:47		88 - 82	+6	7 MEISNER L. 3PntsFG made, 10 McCULLUM K. Assist
0:47	GLEIM S. Timeout			
0:47	2 STEPHENS M. Substitute out, 5 MAXHUNI E. Substitute in			
0:47	33 MIDTGAARD A. Substitute out, 15 RADOSAVLJEVIC B. Substitute in			
0:47				18 WOHLFARTH-BOTTERMANN J. Substitute out, 5 PHILIPPS C. Substitute in
0:35	5 MAXHUNI E. Turnover, Ball handling			8 WOODARD J. Steal
0:33	15 RADOSAVLJEVIC B. Blocked shot			10 McCULLUM K. 2PntsFG inside paint, Lay-up blocked
0:33	Defensive Team rebound			



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf easyCredit-BBL.de! Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf MagentaSport.de



HAKRO Merlins Crailsheim **92 : 84** **Veolia Towers Hamburg**

Referee: REITER Moritz

Umpires: KATTUR Radeesh / STREIT Enrico

Commissioner: BENDER Ute



Attendance: 2386

Ilsdorf, Arena Hohenlohe (3.000 Plätze), SA 26 NOV 2022, 20:30, Game-ID: 27530

Game Time	CRA - HAKRO Merlins Crailsheim	Score	Diff	HAM - Veolia Towers Hamburg
0:23				3 MEISNER L. Personal foul, 2 free throws awarded (P1,T7)
0:23	3 STUCKEY M. Foul drawn			
0:23	15 RADOSAVLJEVIC B. Substitute out, 2 STEPHENS M. Substitute in			
0:23	3 STUCKEY M. Free Throw made 1 of 2	89 - 82	+7	
0:23	3 STUCKEY M. Free Throw made 2 of 2	90 - 82	+8	
0:23				KORNER R. Timeout
0:23				5 PHILIPPS C. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
0:18				8 WOODARD J. 3PtsFG missed, 12 HINRICHSS S. Offensive rebound
0:14		90 - 84	+6	7 MEISNER L. 2PtsFG inside paint, Lay-up made, 12 HINRICHSS S. Assist
0:13				8 WOODARD J. Personal foul, 2 free throws awarded (P3,T8)
0:13	3 STUCKEY M. Foul drawn			
0:13	3 STUCKEY M. Free Throw made 1 of 2	91 - 84	+7	
0:13	3 STUCKEY M. Free Throw made 2 of 2	92 - 84	+8	
0:06	3 STUCKEY M. Defensive rebound			8 WOODARD J. 3PtsFG missed



EASYCREDIT-BBL.DE

Alle offiziellen Statistiken der easyCredit BBL, Daten, Rekorde uvm. gibt es auf [easyCredit-BBL.de!](https://easyCredit-BBL.de) Und für unterwegs: die neue offizielle Liga-App, kostenfrei für iOS und Android.



MAGENTASPORT.DE

Keinen Korb mehr verpassen - Alle Spiele der easyCredit Basketball Bundesliga und des MagentaSport BBL Pokals live auf MagentaSport.de