

Referee: STRAUBE Carsten
 Umpires: THEIS Christian / LODER Benedikt
 Commissioner: GITZLER Jörg

Attendance: 4497
 Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

	Q1		Q2		Q3		Q4	
CHE	26	26	19	45	27	72	24	96
HAM	18	18	22	40	21	61	26	87

FIRST QUARTER

Quarter Starters:

CHE 1 UGUAK A. 2 GARRETT J. 5 VAN BECK W. 9 LANSDOWNE D. 53 YEBO K.
 HAM 5 BRAUNER N. 12 HINRICHS S. 13 KING V. 18 WOHLFARTH-BOTTERMANN J. 42 DURHAM A.

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
10:00	53 YEBO K. Jump ball lost			18 WOHLFARTH-BOTTERMANN J. Jump ball won
9:42		0 - 2	-2	13 KING V. 2PtsFG inside paint, Lay-up made, 42 DURHAM A. Assist
9:32	5 VAN BECK W. Turnover, Bad pass			18 WOHLFARTH-BOTTERMANN J. Steal
9:20		0 - 4	-4	18 WOHLFARTH-BOTTERMANN J. 2PtsFG fast break, Lay-up made
9:09				18 WOHLFARTH-BOTTERMANN J. Personal foul, 2 free throws awarded (P1,T1)
9:09	53 YEBO K. Foul drawn			
9:09	53 YEBO K. Free Throw made 1 of 2	1 - 4	-3	
9:09	53 YEBO K. Free Throw made 2 of 2	2 - 4	-2	
8:46	9 LANSDOWNE D. Defensive rebound			13 KING V. 3PtsFG missed
8:40	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up missed			12 HINRICHS S. Defensive rebound
8:28				18 WOHLFARTH-BOTTERMANN J. Offensive foul (P2,T2)
8:28	1 UGUAK A. Foul drawn			
8:28				18 WOHLFARTH-BOTTERMANN J. Substitute out, 7 MEISNER L. Substitute in
8:12				42 DURHAM A. Personal foul, 2 free throws awarded (P1,T3)
8:12	53 YEBO K. Foul drawn			
8:12	53 YEBO K. Free Throw made 1 of 2, 5 VAN BECK W. Assist	3 - 4	-1	
8:12	53 YEBO K. Free Throw made 2 of 2	4 - 4	0	
7:55	2 GARRETT J. Steal			7 MEISNER L. Turnover, Ball handling
7:47	2 GARRETT J. 2PtsFG inside paint, Lay-up made	6 - 4	+2	
7:35				13 KING V. 2PtsFG inside paint, Lay-up missed, 42 DURHAM A. Offensive rebound
7:29	53 YEBO K. Personal foul (P1,T1)			
7:29				42 DURHAM A. Foul drawn
7:25	5 VAN BECK W. Personal foul (P1,T2)			
7:25				12 HINRICHS S. Foul drawn
7:20	2 GARRETT J. Defensive rebound			13 KING V. 2PtsFG inside paint, Lay-up missed
6:58	53 YEBO K. 2PtsFG inside paint, Lay-up made, 9 LANSDOWNE D. Assist	8 - 4	+4	
6:36	53 YEBO K. Personal foul, 2 free throws awarded (P2,T3)			
6:36				42 DURHAM A. Foul drawn
6:36	1 UGUAK A. Substitute out, 7 RICHTER J. Substitute in			
6:36	53 YEBO K. Substitute out, 33 LOCKHART D. Substitute in			
6:36				5 BRAUNER N. Substitute out, 11 CHRISTMAS W. Substitute in
6:36		8 - 5	+3	42 DURHAM A. Free Throw made 1 of 2
6:36		8 - 6	+2	42 DURHAM A. Free Throw made 2 of 2
6:23	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up missed, 2 GARRETT J. Offensive rebound			
6:18	2 GARRETT J. 2PtsFG inside paint, Lay-up made	10 - 6	+4	
6:13				42 DURHAM A. Offensive foul (P2,T4)
6:13	33 LOCKHART D. Foul drawn			
5:55	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up missed			42 DURHAM A. Defensive rebound
5:50				42 DURHAM A. Turnover, Travelling
5:50	2 GARRETT J. Substitute out, 17 ONGWAE T. Substitute in			
5:50	5 VAN BECK W. Substitute out, 24 KRUBALLY O. Substitute in			
5:50				13 KING V. Substitute out, 3 HUGHES M. Substitute in
5:50				42 DURHAM A. Substitute out, 6 MÖLLER L. Substitute in
5:32	33 LOCKHART D. Turnover, Ball handling			7 MEISNER L. Steal
5:18				7 MEISNER L. 3PtsFG missed, 12 HINRICHS S. Offensive rebound
5:11	24 KRUBALLY O. Defensive rebound			12 HINRICHS S. 2PtsFG outside paint, Jump shot missed
4:53	33 LOCKHART D. Turnover, Bad pass			
4:53				12 HINRICHS S. Substitute out, 10 REECE C. Substitute in
4:34				10 REECE C. Offensive foul (P1,T5)
4:34	17 ONGWAE T. Foul drawn			



NINERS Chemnitz

96 : 87 Veolia Towers Hamburg



Referee: STRAUBE Carsten
Umpires: THEIS Christian / LODER Benedikt
Commissioner: GITZLER Jörg

Attendance: 4497
Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

Table with columns: Game Time, CHE - NINERS Chemnitz, Score, Diff, HAM - Veolia Towers Hamburg. It contains a detailed log of game events including player substitutions, fouls, and scores throughout the match.



Referee: STRAUBE Carsten
 Umpires: THEIS Christian / LODER Benedikt
 Commissioner: GITZLER Jörg

Attendance: 4497
 Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

SECOND QUARTER

Quarter Starters:

CHE 1 UGUAK A. 2 GARRETT J. 7 RICHTER J. 9 LANSDOWNE D. 17 ONGWAE T.
 HAM 5 BRAUNER N. 10 REECE C. 11 CHRISTMAS W. 13 KING V. 42 DURHAM A.

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
10:00	Alternating Possession Gained			
9:46	9 LANSDOWNE D. 2PtsFG outside paint, Jump shot missed			
9:45				Defensive Team rebound
9:28		26 - 20	+6	10 REECE C. 2PtsFG inside paint, Lay-up made, 13 KING V. Assist
9:11	17 ONGWAE T. 3PtsFG missed			5 BRAUNER N. Defensive rebound
9:02				5 BRAUNER N. 3PtsFG missed, 13 KING V. Offensive rebound
8:54	2 GARRETT J. Steal			5 BRAUNER N. Turnover, Bad pass
8:49	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up missed			
8:47	Offensive Team rebound			
8:47	7 RICHTER J. Substitute out, 53 YEBO K. Substitute in			
8:47	1 UGUAK A. Substitute out, 5 VAN BECK W. Substitute in			
8:45	2 GARRETT J. 2PtsFG inside paint, Lay-up made, 9 LANSDOWNE D. Assist	28 - 20	+8	
8:24				13 KING V. 2PtsFG inside paint, Lay-up missed, 10 REECE C. Offensive rebound
8:20		28 - 22	+6	10 REECE C. 2PtsFG inside paint, Lay-up made
8:06	5 VAN BECK W. 3PtsFG made	31 - 22	+9	
7:57				5 BRAUNER N. 3PtsFG missed, 11 CHRISTMAS W. Offensive rebound
7:55				11 CHRISTMAS W. Turnover, Out of bounds
7:55				5 BRAUNER N. Substitute out, 6 MÖLLER L. Substitute in
7:33	9 LANSDOWNE D. Turnover, Bad pass			6 MÖLLER L. Steal
7:28	17 ONGWAE T. Personal foul, 2 free throws awarded (P2,T1)			
7:28				42 DURHAM A. Foul drawn
7:28	2 GARRETT J. Substitute out, 1 UGUAK A. Substitute in			
7:28	17 ONGWAE T. Substitute out, 7 RICHTER J. Substitute in			
7:28		31 - 23	+8	42 DURHAM A. Free Throw made 1 of 2
7:28		31 - 24	+7	42 DURHAM A. Free Throw made 2 of 2
7:14	5 VAN BECK W. 2PtsFG outside paint, Jump shot missed			42 DURHAM A. Defensive rebound
6:55		31 - 27	+4	11 CHRISTMAS W. 3PtsFG made, 10 REECE C. Assist
6:55	PASTORE R. Timeout			
6:55	53 YEBO K. Substitute out, 24 KRUBALLY O. Substitute in			
6:55				42 DURHAM A. Substitute out, 12 HINRICHS S. Substitute in
6:36	24 KRUBALLY O. 2PtsFG inside paint, Lay-up made, 5 VAN BECK W. Assist	33 - 27	+6	
6:21	24 KRUBALLY O. Defensive rebound			11 CHRISTMAS W. 2PtsFG inside paint, Lay-up missed
6:05	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up blocked			10 REECE C. Blocked shot, 12 HINRICHS S. Defensive rebound
6:00	24 KRUBALLY O. Personal foul, 2 free throws awarded (P2,T2)			
6:00				13 KING V. Foul drawn
6:00		33 - 28	+5	13 KING V. Free Throw made 1 of 2
6:00		33 - 29	+4	13 KING V. Free Throw made 2 of 2
6:00	7 RICHTER J. Substitute out, 2 GARRETT J. Substitute in			
5:41	1 UGUAK A. Turnover, Bad pass			
5:32				6 MÖLLER L. Substitute out, 3 HUGHES M. Substitute in
5:32				10 REECE C. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
5:26	9 LANSDOWNE D. Personal foul (P1,T3)			
5:26				11 CHRISTMAS W. Foul drawn
5:18	9 LANSDOWNE D. Defensive rebound			3 HUGHES M. 3PtsFG missed
4:56	5 VAN BECK W. 2PtsFG outside paint, Jump shot missed			3 HUGHES M. Defensive rebound
4:52	5 VAN BECK W. Personal foul, 2 free throws awarded (P2,T4)			
4:52				11 CHRISTMAS W. Foul drawn
4:52	5 VAN BECK W. Substitute out, 33 LOCKHART D. Substitute in			
4:52		33 - 30	+3	11 CHRISTMAS W. Free Throw fast break made 1 of 2
4:52		33 - 31	+2	11 CHRISTMAS W. Free Throw fast break made 2 of 2
4:52				11 CHRISTMAS W. Substitute out, 5 BRAUNER N. Substitute in
4:37	1 UGUAK A. 3PtsFG made, 9 LANSDOWNE D. Assist	36 - 31	+5	
4:17	2 GARRETT J. Personal foul, 2 free throws awarded (P2,T5)			
4:17				18 WOHLFARTH-BOTTERMANN J. Foul drawn



NINERS Chemnitz

96 : 87 Veolia Towers Hamburg



Referee: STRAUBE Carsten
 Umpires: THEIS Christian / LODER Benedikt
 Commissioner: GITZLER Jörg

Attendance: 4497

Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
4:17	3 KRUBALLY O. Substitute out, 7 RICHTER J. Substitute in			
4:17				18 WOHLFARTH-BOTTERMANN J. Free Throw missed 1 of 2
4:17		36 - 32	+4	18 WOHLFARTH-BOTTERMANN J. Free Throw made 2 of 2, 3 HUGHES M. Assist
4:02	1 UGUAK A. 2PtsFG inside paint, Lay-up made, 9 LANSDOWNE D. Assist	38 - 32	+6	
3:43	7 RICHTER J. Blocked shot, 1 UGUAK A. Defensive rebound			13 KING V. 2PtsFG inside paint, Lay-up blocked
3:41				3 HUGHES M. Personal foul (P1,T1)
3:41	1 UGUAK A. Foul drawn			
3:27	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up blocked			18 WOHLFARTH-BOTTERMANN J. Blocked shot, 13 KING V. Defensive rebound
3:24		38 - 34	+4	13 KING V. 2PtsFG fast break, Lay-up made
3:15				5 BRAUNER N. Personal foul (P1,T2)
3:15	9 LANSDOWNE D. Foul drawn			
3:15	1 UGUAK A. Free Throw made 1 of 1	39 - 34	+5	5 BRAUNER N. Technical foul, 1 free throw awarded (P2,T3)
3:01				13 KING V. Personal foul (P1,T4)
3:01	7 RICHTER J. Foul drawn			
2:47	9 LANSDOWNE D. 3PtsFG missed			
2:47	Team Turnover, 24 seconds			
2:47				13 KING V. Substitute out, 42 DURHAM A. Substitute in
2:27	1 UGUAK A. Steal			3 HUGHES M. Turnover, Bad pass
2:16	7 RICHTER J. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	41 - 34	+7	
2:16				BARLOSCHKY B. Timeout
2:16				5 BRAUNER N. Substitute out, 11 CHRISTMAS W. Substitute in
2:09		41 - 36	+5	18 WOHLFARTH-BOTTERMANN J. 2PtsFG inside paint, Lay-up made, 42 DURHAM A. Assist
1:54	2 GARRETT J. 3PtsFG missed			
1:49				Defensive Team rebound
1:25		41 - 38	+3	42 DURHAM A. 2PtsFG inside paint, Lay-up made
1:05				18 WOHLFARTH-BOTTERMANN J. Personal foul, 2 free throws awarded (P3,T5)
1:05	7 RICHTER J. Foul drawn			
1:05	7 RICHTER J. Free Throw made 1 of 2	42 - 38	+4	
1:05	7 RICHTER J. Free Throw made 2 of 2	43 - 38	+5	
1:05	2 GARRETT J. Substitute out, 24 KRUBALLY O. Substitute in			
0:54				12 HINRICHS S. Offensive foul (P3,T6)
0:54	1 UGUAK A. Foul drawn			
0:54				12 HINRICHS S. Substitute out, 10 REECE C. Substitute in
0:54				18 WOHLFARTH-BOTTERMANN J. Substitute out, 13 KING V. Substitute in
0:37	24 KRUBALLY O. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	45 - 38	+7	
0:18	7 RICHTER J. Personal foul, 2 free throws awarded (P1,T6)			
0:18				3 HUGHES M. Foul drawn
0:18	33 LOCKHART D. Substitute out, 5 VAN BECK W. Substitute in			
0:18				42 DURHAM A. Substitute out, 6 MÖLLER L. Substitute in
0:18		45 - 39	+6	3 HUGHES M. Free Throw made 1 of 2
0:18		45 - 40	+5	3 HUGHES M. Free Throw made 2 of 2
0:01	5 VAN BECK W. 3PtsFG missed			11 CHRISTMAS W. Defensive rebound
0:00				11 CHRISTMAS W. 3PtsFG missed

Referee: STRAUBE Carsten
 Umpires: THEIS Christian / LODER Benedikt
 Commissioner: GITZLER Jörg

Attendance: 4497
 Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

THIRD QUARTER

Quarter Starters:

CHE 1 UGUAK A. 2 GARRETT J. 5 VAN BECK W. 9 LANSDOWNE D. 53 YEBO K.
HAM 5 BRAUNER N. 12 HINRICHS S. 13 KING V. 18 WOHLFARTH-BOTTERMANN J. 42 DURHAM A.

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
10:00				Alternating Possession Gained
9:43	9 LANSDOWNE D. Defensive rebound			5 BRAUNER N. 3PtsFG missed
9:18	5 VAN BECK W. 2PtsFG inside paint, Lay-up made	47 - 40	+7	
9:03	5 VAN BECK W. Defensive rebound			13 KING V. 2PtsFG inside paint, Lay-up missed
8:43	53 YEBO K. 2PtsFG inside paint, Lay-up made, 5 VAN BECK W. Assist	49 - 40	+9	
8:39	1 UGUAK A. Personal foul (P1,T1)			
8:39				42 DURHAM A. Foul drawn
8:36	5 VAN BECK W. Personal foul (P3,T2)			
8:36				5 BRAUNER N. Foul drawn
8:36	5 VAN BECK W. Substitute out, 17 ONGWAE T. Substitute in			
8:24		49 - 43	+6	13 KING V. 3PtsFG made, 18 WOHLFARTH-BOTTERMANN J. Assist
8:07	53 YEBO K. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	51 - 43	+8	
7:59	2 GARRETT J. Steal			12 HINRICHS S. Turnover, Bad pass
7:56	2 GARRETT J. 2PtsFG fast break, Lay-up made	53 - 43	+10	
7:37				12 HINRICHS S. Turnover, Out of bounds
7:21	53 YEBO K. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	55 - 43	+12	
7:21				BARLOSCHKY B. Timeout
7:07	53 YEBO K. Personal foul, 2 free throws awarded (P3,T3)			
7:07		55 - 44	+11	13 KING V. Foul drawn
7:07		55 - 45	+10	13 KING V. Free Throw made 1 of 2
7:07				13 KING V. Free Throw made 2 of 2
7:07	53 YEBO K. Substitute out, 7 RICHTER J. Substitute in			
6:48	17 ONGWAE T. 2PtsFG outside paint, Jump shot missed			5 BRAUNER N. Defensive rebound
6:39		55 - 47	+8	13 KING V. 2PtsFG fast break, Lay-up made, 42 DURHAM A. Assist
6:36				42 DURHAM A. Personal foul (P3,T1)
6:36	1 UGUAK A. Foul drawn			
6:36				5 BRAUNER N. Substitute out, 11 CHRISTMAS W. Substitute in
6:24	7 RICHTER J. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	57 - 47	+10	
6:12				12 HINRICHS S. Turnover, Ball handling
6:12				18 WOHLFARTH-BOTTERMANN J. Substitute out, 10 REECE C. Substitute in
5:55	7 RICHTER J. 2PtsFG inside paint, Lay-up made, 9 LANSDOWNE D. Assist	59 - 47	+12	
5:34	7 RICHTER J. Blocked shot, 2 GARRETT J. Defensive rebound			11 CHRISTMAS W. 2PtsFG inside paint, Lay-up blocked
5:33				13 KING V. Personal foul, 2 free throws awarded (P2,T2)
5:33	1 UGUAK A. Foul drawn			
5:33	1 UGUAK A. Free Throw fast break missed 1 of 2			
5:33	1 UGUAK A. Free Throw fast break made 2 of 2	60 - 47	+13	
5:33	2 GARRETT J. Substitute out, 24 KRUBALLY O. Substitute in			
5:15		60 - 49	+11	42 DURHAM A. 2PtsFG inside paint, Lay-up made
5:00	9 LANSDOWNE D. Turnover, Bad pass			13 KING V. Steal
4:51		60 - 51	+9	11 CHRISTMAS W. 2PtsFG inside paint, Lay-up made, 13 KING V. Assist
4:51	9 LANSDOWNE D. Personal foul, 1 free throw awarded (P2,T4)			
4:51				11 CHRISTMAS W. Foul drawn
4:51				13 KING V. Substitute out, 3 HUGHES M. Substitute in
4:51		60 - 52	+8	11 CHRISTMAS W. Free Throw made 1 of 1
4:36	9 LANSDOWNE D. Turnover, Bad pass			11 CHRISTMAS W. Steal
4:18	17 ONGWAE T. Defensive rebound			3 HUGHES M. 3PtsFG missed
4:05	1 UGUAK A. 3PtsFG missed, 24 KRUBALLY O. Offensive rebound			
4:00	24 KRUBALLY O. 2PtsFG inside paint, Lay-up blocked			10 REECE C. Blocked shot, 12 HINRICHS S. Defensive rebound
3:59	7 RICHTER J. Personal foul, 2 free throws awarded (P2,T5)			
3:59				12 HINRICHS S. Foul drawn
3:59	7 RICHTER J. Substitute out, 2 GARRETT J. Substitute in			
3:59	9 LANSDOWNE D. Substitute out, 5 VAN BECK W. Substitute in			
3:59		60 - 53	+7	12 HINRICHS S. Free Throw made 1 of 2
3:59	2 GARRETT J. Defensive rebound			12 HINRICHS S. Free Throw missed 2 of 2
3:57				11 CHRISTMAS W. Personal foul (P1,T3)



NINERS Chemnitz

96 : 87 Veolia Towers Hamburg



Referee: STRAUBE Carsten
 Umpires: THEIS Christian / LODER Benedikt
 Commissioner: GITZLER Jörg

Attendance: 4497
 Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
3:57	3 GARRETT J. Foul drawn			
3:37				11 CHRISTMAS W. Personal foul, 2 free throws awarded (P2,T4)
3:37	5 VAN BECK W. Foul drawn			
3:37	5 VAN BECK W. Free Throw made 1 of 2	61 - 53	+8	
3:37	5 VAN BECK W. Free Throw made 2 of 2	62 - 53	+9	
3:25		62 - 56	+6	3 HUGHES M. 3PtsFG made, 12 HINRICHS S. Assist 12 HINRICHS S. Defensive rebound
3:05	5 VAN BECK W. 3PtsFG missed			
2:49	2 GARRETT J. Personal foul, 2 free throws awarded (P3,T6)			
2:49				42 DURHAM A. Foul drawn
2:49	24 KRUBALLY O. Substitute out, 7 RICHTER J. Substitute in			
2:49		62 - 57	+5	42 DURHAM A. Free Throw made 1 of 2
2:49		62 - 58	+4	42 DURHAM A. Free Throw made 2 of 2
2:49	1 UGUAK A. Substitute out, 9 LANSLOWNE D. Substitute in			
2:49				10 REECE C. Substitute out, 13 KING V. Substitute in 12 HINRICHS S. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
2:32	9 LANSLOWNE D. Turnover, Ball handling			3 HUGHES M. Steal
2:19	9 LANSLOWNE D. Defensive rebound			11 CHRISTMAS W. 3PtsFG missed
2:01	17 ONGWAE T. 2PtsFG inside paint, Lay-up made	64 - 58	+6	
1:44	7 RICHTER J. Personal foul, 2 free throws awarded (P3,T7)			
1:44				42 DURHAM A. Foul drawn
1:44				42 DURHAM A. Free Throw missed 1 of 2
1:44		64 - 59	+5	42 DURHAM A. Free Throw made 2 of 2
1:44				42 DURHAM A. Substitute out, 5 BRAUNER N. Substitute in
1:29	5 VAN BECK W. 3PtsFG made, 9 LANSLOWNE D. Assist	67 - 59	+8	
1:17	17 ONGWAE T. Personal foul, 2 free throws awarded (P3,T8)			
1:17				11 CHRISTMAS W. Foul drawn
1:17	17 ONGWAE T. Substitute out, 1 UGUAK A. Substitute in			
1:17		67 - 60	+7	11 CHRISTMAS W. Free Throw made 1 of 2
1:17		67 - 61	+6	11 CHRISTMAS W. Free Throw made 2 of 2
1:02	7 RICHTER J. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	69 - 61	+8	
0:40	7 RICHTER J. Personal foul, 2 free throws awarded (P4,T9)			
0:40				18 WOHLFARTH-BOTTERMANN J. Foul drawn
0:40	7 RICHTER J. Substitute out, 24 KRUBALLY O. Substitute in			
0:40				18 WOHLFARTH-BOTTERMANN J. Free Throw missed 1 of 2
0:40	2 GARRETT J. Defensive rebound			18 WOHLFARTH-BOTTERMANN J. Free Throw missed 2 of 2
0:16	2 GARRETT J. 3PtsFG missed, 24 KRUBALLY O. Offensive rebound			
0:04	1 UGUAK A. 3PtsFG made, 9 LANSLOWNE D. Assist	72 - 61	+11	

FOURTH QUARTER

Quarter Starters:

CHE 1 UGUAK A. 2 GARRETT J. 5 VAN BECK W. 9 LANSLOWNE D. 24 KRUBALLY O.
HAM 5 BRAUNER N. 11 CHRISTMAS W. 13 KING V. 18 WOHLFARTH-BOTTERMANN J. 42 DURHAM A.

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
10:00	Alternating Possession Gained			
9:39	24 KRUBALLY O. 2PtsFG inside paint, Lay-up made, 9 LANSLOWNE D. Assist	74 - 61	+13	
9:22		74 - 64	+10	11 CHRISTMAS W. 3PtsFG made, 13 KING V. Assist
9:09	5 VAN BECK W. 3PtsFG made	77 - 64	+13	
8:43	1 UGUAK A. Steal			42 DURHAM A. Turnover, Ball handling
8:41	9 LANSLOWNE D. 2PtsFG fast break, Dunk made, 1 UGUAK A. Assist	79 - 64	+15	
8:41				BARLOSCHKY B. Timeout 18 WOHLFARTH-BOTTERMANN J. Substitute out, 12 HINRICHS S. Substitute in
8:23		79 - 66	+13	12 HINRICHS S. 2PtsFG inside paint, Jump shot made, 5 BRAUNER N. Assist
8:15	9 LANSLOWNE D. Turnover, Ball handling			
8:15				5 BRAUNER N. Substitute out, 6 MÖLLER L. Substitute in
8:01	24 KRUBALLY O. Defensive rebound			6 MÖLLER L. 3PtsFG missed
8:01				12 HINRICHS S. Personal foul (P4,T1)



NINERS Chemnitz

96 : 87 Veolia Towers Hamburg



Referee: STRAUBE Carsten
Umpires: THEIS Christian / LODER Benedikt
Commissioner: GITZLER Jörg

Attendance: 4497

Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
8:01	3 KRUBALLY O. Foul drawn			
8:01	24 KRUBALLY O. Substitute out, 53 YEBO K. Substitute in			
8:01				12 HINRICHS S. Substitute out, 10 REECE C. Substitute in
7:39	5 VAN BECK W. 3PtsFG missed			42 DURHAM A. Defensive rebound
7:31				42 DURHAM A. 2PtsFG inside paint, Lay-up missed, 10 REECE C. Offensive rebound
7:17		79 - 69	+10	13 KING V. 3PtsFG made
6:58	53 YEBO K. Offensive foul (P4,T1)			
6:58				42 DURHAM A. Foul drawn
6:58	53 YEBO K. Substitute out, 7 RICHTER J. Substitute in			
6:45	5 VAN BECK W. Steal			11 CHRISTMAS W. Turnover, Bad pass
6:42	5 VAN BECK W. 2PtsFG fast break, Lay-up made, 9 LANSDOWNE D. Assist	81 - 69	+12	
6:30		81 - 72	+9	13 KING V. 3PtsFG fast break made, 42 DURHAM A. Assist
6:01	7 RICHTER J. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	83 - 72	+11	
5:55		83 - 74	+9	13 KING V. 2PtsFG inside paint, Lay-up made
5:46	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up made	85 - 74	+11	
5:34	1 UGUAK A. Personal foul (P2,T2)			
5:34				42 DURHAM A. Foul drawn
5:34	2 GARRETT J. Substitute out, 17 ONGWAE T. Substitute in			
5:34	9 LANSDOWNE D. Substitute out, 24 KRUBALLY O. Substitute in			
5:34				10 REECE C. Substitute out, 18 WOHLFARTH-BOTTERMANN J. Substitute in
5:17				Team Turnover, 24 seconds
5:05				42 DURHAM A. Personal foul (P4,T2)
5:05	24 KRUBALLY O. Foul drawn			
4:56	7 RICHTER J. 2PtsFG inside paint, Lay-up made, 5 VAN BECK W. Assist	87 - 74	+13	
4:56				6 MÖLLER L. Personal foul, 1 free throw awarded (P1,T3)
4:56	7 RICHTER J. Foul drawn			
4:56				6 MÖLLER L. Substitute out, 12 HINRICHS S. Substitute in
4:56	7 RICHTER J. Free Throw made 1 of 1	88 - 74	+14	
4:43		88 - 76	+12	13 KING V. 2PtsFG inside paint, Lay-up made
4:29	5 VAN BECK W. Turnover, Out of bounds			
4:29	5 VAN BECK W. Substitute out, 9 LANSDOWNE D. Substitute in			
4:29	24 KRUBALLY O. Substitute out, 2 GARRETT J. Substitute in			
4:13	7 RICHTER J. Personal foul, 2 free throws awarded (P5,T3)			
4:13				18 WOHLFARTH-BOTTERMANN J. Foul drawn
4:13	7 RICHTER J. Substitute out, 53 YEBO K. Substitute in			
4:13		88 - 77	+11	18 WOHLFARTH-BOTTERMANN J. Free Throw made 1 of 2
4:13		88 - 78	+10	18 WOHLFARTH-BOTTERMANN J. Free Throw made 2 of 2
4:02	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up made	90 - 78	+12	
3:54		90 - 81	+9	13 KING V. 3PtsFG fast break made, 42 DURHAM A. Assist
3:28	2 GARRETT J. 3PtsFG missed			42 DURHAM A. Defensive rebound
3:08	2 GARRETT J. Defensive rebound			18 WOHLFARTH-BOTTERMANN J. 2PtsFG inside paint, Lay-up missed
3:01	1 UGUAK A. 3PtsFG missed			42 DURHAM A. Defensive rebound
2:56	2 GARRETT J. Blocked shot, 9 LANSDOWNE D. Defensive rebound			18 WOHLFARTH-BOTTERMANN J. 2PtsFG inside paint, Lay-up blocked
2:52				13 KING V. Personal foul (P3,T4)
2:52	9 LANSDOWNE D. Foul drawn			
2:52	17 ONGWAE T. Substitute out, 5 VAN BECK W. Substitute in			
2:52				18 WOHLFARTH-BOTTERMANN J. Substitute out, 10 REECE C. Substitute in
2:47				10 REECE C. Personal foul, 2 free throws awarded (P2,T5)
2:47	53 YEBO K. Foul drawn			
2:47	53 YEBO K. Free Throw missed 1 of 2			
2:47	53 YEBO K. Free Throw made 2 of 2	91 - 81	+10	
2:31		91 - 83	+8	42 DURHAM A. 2PtsFG inside paint, Lay-up made
2:16				Technical foul bench
2:16	5 VAN BECK W. Free Throw made 1 of 1	92 - 83	+9	
2:03	5 VAN BECK W. 2PtsFG inside paint, Lay-up made, 53 YEBO K. Assist	94 - 83	+11	
2:03				BARLOSCHKY B. Timeout
2:03				10 REECE C. Substitute out, 3 HUGHES M. Substitute in



NINERS Chemnitz

96 : 87 Veolia Towers Hamburg



Referee: STRAUBE Carsten
Umpires: THEIS Christian / LODER Benedikt
Commissioner: GITZLER Jörg

Attendance: 4497

Chemnitz, Messe Chemnitz (4.732 Plätze), FR 24 NOV 2023, 20:00, Game-ID: 33255

Game Time	CHE - NINERS Chemnitz	Score	Diff	HAM - Veolia Towers Hamburg
2:03	3 PASTORE R. Timeout			
1:48	53 YEBO K. Defensive rebound			13 KING V. 3PtsFG missed
1:23	53 YEBO K. 2PtsFG inside paint, Lay-up made, 1 UGUAK A. Assist	96 - 83	+13	
1:09	9 LANSDOWNE D. Defensive rebound			12 HINRICHS S. 2PtsFG outside paint, Jump shot missed
0:56	53 YEBO K. Offensive foul (P5,T4)			
0:56				11 CHRISTMAS W. Foul drawn
0:56	53 YEBO K. Substitute out, 24 KRUBALLY O. Substitute in			
0:56				3 HUGHES M. Substitute out, 6 MÖLLER L. Substitute in
0:56	5 VAN BECK W. Substitute out, 17 ONGWAE T. Substitute in			
0:44	2 GARRETT J. Blocked shot			42 DURHAM A. 2PtsFG inside paint, Lay-up blocked, 42 DURHAM A. Offensive rebound
0:43		96 - 85	+11	42 DURHAM A. 2PtsFG inside paint, Lay-up made
0:26	9 LANSDOWNE D. 2PtsFG inside paint, Lay-up missed			13 KING V. Defensive rebound
0:20		96 - 87	+9	13 KING V. 2PtsFG fast break, Lay-up made
0:01	17 ONGWAE T. 3PtsFG missed			13 KING V. Defensive rebound